

簡介

INTRODUCTION

昌泰有限公司成立於2002年，為道路、工業安全用品設備、個人防護設備及不銹鋼製品提供批發及零售，本公司銷售範圍主要為香港、澳門及東南亞。

本公司自家品牌“KPK”包括安全鞋、安全水鞋、反光衣、水馬、腰封等。同時，本公司也是“ELSEC”電工手套在港澳的獨家代理。此外，我司亦銷售各款安全設備品牌之產品。

我們更可按客戶的要求，代客設計及加工有關之安全用品，例如絲印各款式雪糕筒套、雨衣、反光衣、鋁牌等等。甚至訂造不銹鋼系列，歡迎致電或電郵我們查詢。

Established in 2002, Pacific Forever Limited has been supplying and distributing an array of quality road and industrial safety equipment, personal protective equipment and metal products in Hong Kong and the surrounding region.

We have developed our own range of safety shoes and boots, reflective clothing, traffic cones, waist supporting belts etc, currently sold under the “KPK” brand. We also provide a comprehensive range of safety products imported from recognized and renowned manufacturers from all over the world. We are the sole distributing agent of ELSEC natural rubber insulating gloves in Hong Kong and Macau. We also provide silk-print services on reflective safety vest and traffic cone reflective clothes, custom-made aluminium signage and customized stainless steel products.

We are committed to our customers with prompt and reliable services to meet their safety needs. Our goal is to provide not only quality products, but also product knowledge and innovative solutions to both our industrial and government customers of all sizes. One of our founding principles is to maintain the professional business relationship with our valuable customers through our unparalleled customer services. And we are proud to have successfully maintained long-term business relationships with reputable international companies and local government bodies in the past decade.



各類名廠安全產品系列





700mmH連身雪糕筒
CODE: TC700



710mmH沙底雪糕筒
CODE: TC160



300/450mmH迷你雪糕筒
CODE: TC180



700mmH連身雪糕筒
CODE: TC600




750mm/1MH雪糕筒
CODE: TC120



850mmH反彈柱
CODE: TC320



750mm/1MH/1.2MH反彈柱
CODE: TC300




TC720鐵欄柱



TC500扁身交通柱



800mmH反彈柱
CODE: TC340



750mmH PVC反彈柱
CODE: TC613



750mmH/1MH注水式立柱
CODE: TC800



770mmH方型沙底筒
CODE: TC250



770mmH方型雪糕筒
CODE: TC240



700mmH伸縮式雪糕筒
CODE: TC400



1MH石屎座連柱
CODE: TC900




B字架(膠架/鐵架)
CODE: B110/B100

Traffic Cone Cover
可絲印:
各種內容雪糕筒套




Elastic Connecting Rod 伸縮棒
• Size range: 1.3mL - 2.3mL
• Colour: Red & White / Yellow & Black



CODE: RB168A
SIZE: 1950MML X 1000MMH



CODE: RB148A/RB148B
SIZE: 1.5ML X 1MH / 2ML X 1MH



特製不銹鋼欄
可代客戶設計 / 絲印:
各種LOGO及製造各種尺寸
CODE: RB220 SIZE: 6ft / 8ft / 10ft



CODE: JP708
SIZE: 340mmL-4MLx600mmW
x1040mmH



CODE: RB340
SIZE: (510mm-3.5ML)x940mmH



CODE: RB338
SIZE: 400mm-3.5MLx950mmH



室內廣角鏡
CODE: CM120
SIZE: 12" / 16" / 18"




室外廣角鏡(有眉)
CODE: CM130
SIZE: 24" / 32" / 40"



球型室內廣角鏡
(八份一)
CODE: CM090



球型室內廣角鏡
(四份一)
CODE: CM180



球型室內廣角鏡
(二份一)
CODE: CM360




車底檢查鏡
CODE: CM480

12吋防盜鏡, 車底情況清晰易見
伸縮長度範圍0.6 - 3M, 可做地探和頂探兩種用途
探測鏡頂探時, 可調節角度為45-180度;
加上三腳地推轉盤, 地探時可調節角度為360度
防水手電筒輔助燈光照射時, 兩位置燈光照射可供選擇; 燈頭可調節180度
鋁製手握
可調節手握與鏡子角度: 隱蔽情況無所頓形





ALEX128 減速小路拱
Size: 250x350x50mm(中段)
Size: 190x350x50mmH(端頭)



ALEX338 減速大路拱
Size: 500x430x50mm(中段)
Size: 210x430x50mmH(端頭)



SH400 魚尾路拱
Size: 400x400x70mmH



PF158 電綫槽路拱(5線)
PF138 電綫槽路拱(3線)

Size: 900x500x50mmH
Size: 1000x300x50mmH



SLC 減速特大路拱
Size: 500x430x70mm(中段)
Size: 210x430x70mmH(端頭)



方角護角膠
Code: CP800/CP1000/CP1200
Size: 800x1000x1200mmL



圓角護角膠
Code: CRP550/CRP800
Size: 500mmL/800mmL



貨台防撞膠
Code: PF250
Size: 1000x200x30mmH



貨臺防撞膠擋板
Code: CB325
Size: 325x295x100mm



黃黑分隔定位膠
Code: WL500 Size: 500x170x115mm
Code: WL2000 Size: 2000x160x110mm



WL140 閃燈



WL240 紅燈罩閃燈



LE38 太陽能閃燈



WL180 強光閃燈



LED照明燈
5W/10W/20W/30W




"Y-06" LED
汽車磁石閃燈
12V/24V




KM-12(12V)
KM-24(24V)
4" 黃色轉燈(三脚)




汽車磁石轉燈
橙黃色或紅色



CG100-P
防退膠頂



塑膠馬路釘(反光片)



鋁質馬路釘
(反光珠/反光片)



行人踏板 Walking Platform
Size: 700mmWx1400mmLx35mmH



行人踏板 Walking Platform
Size: 800mmWx1400mmLx50mmH



五色彩旗 COLOURFUL FLAGS
SIZE: 7M / array



紅白警告帶



緊急后備燈
AUTOMATIC
EMERGENCY
LIGHT



安全反光三角牌
SAFETY TRIANGLE SIGN
Size: 420mm(L)




警告帶 WARNING TAPE
雙色斜間貼及反光貼



臨時馬路間線貼
ROAD MARKING TAPE
SIZE: 4" x 50YRDS



沙包 SAND BAG
SIZE: 8" x 24"
8" x 30"
8" x 36"



橙色圍網
BARRIER FENCING
SIZE: 1M X 35M



GP-02
保安崗位椅



WC-1001
標準輪椅
WHEEL CHAIR



小心地滑
A字膠牌



水桶連蓋
Code: RP2220
容量: 60L/90L



多用途清潔收集車
Code: BY-08170A
Size: 200x460x995mm



鐵烤漆告示牌
(Code: LP-41可摺疊式)
尺寸: 580x330x580mmH 顏色: 紅/灰/黃



黃色膠鏈
尺寸: 0.25" x25ML



TC200 黃色告示座
Size: 675mmH/907mmH



高級手推車
19" x 29" / 24" x 36"



帳篷(可加圍布)
可選: 墨綠色/紅/黃/藍
尺寸: 3m X 3m



JIAMEI BF580
吸塵吸水機



地臺扇
12" / 14" / 16" / 18" / 20"



落地扇



三速吹風機
3 Speed Blower



SAS 鎖車架(UK)
Code: HD-1/HD-2/HD-3
符合運輸署要求



鋁合金鎖匙箱
編號: KB120-擺放120
編號: KB212-擺放212
編號: KB305-擺放305



WSR98
街頭霸王 - 大聲公



KANDA CF-650
26" 噴霧扇



掛牆扇



MP303大聲公





不銹鋼9/20/30 格雨傘架
編號: J-9P/J-20P/J-30P



HD-P1



HD-P2



直式

A3/A4 插頭
Code: SS-A3F/SS-A4F



拉帶頭
Code: SS-RE01-A

掛牆式拉帶頭
Code: SS-RE01-W



A2/A3/A4 招牌座
Code: SS-A2/SS-A3/SS-A4



A3/A4 伸縮鉛架
編號: SS-E03/SS-E04



“小心地滑”
A字牌
Code: SS-AS03



“小心地滑”
A字牌
鈦金色
Code: SS-AS03(Gold)



“暫停使用”
A字牌
Code: SS-AS05



“小心地滑” A字架
Code: SS-T12



“不准泊車”告示座
Code: SS-P17A



“小心地滑”
座地膠牌
Code: PS-600



新款〈L型〉
告示座
Code: SS-AS08



“小心地滑”
座地膠牌
Code: PS-600



新款〈L型〉
告示座
Code: SS-AS08



SS-RB03



SS-RB04



SS-RB02



SS-RB01



SS-RB05



SS-RB06



掛繩柱
SS-RP-01



掛繩柱
SS-RP-02



SS-U02



不銹鋼拉帶柱收集車
Code: SS-RBC01
Size: 1200x800x1000mmH



不銹鋼掛繩柱運送車
Code: SS-RBC02
Size: 1200x800x1680mmH
容量: 16支



不銹鋼酒水車
Code: SS-C23
Size: 450x900x1000mmH



6' / 8' / 10'
不銹鋼路欄
Code: RB220
可代客絲印/蝕刻/設計各種圖樣
LOGO及特製各種尺寸



不銹鋼鐵馬運送車
Code: SS-C01
Size: 800x600x1200mm



RG-01
380x760mmH



GPX-180
250x600mmH



RG-03
380x760mmH



RG-04
380x760mmH



RG-06
380x760mmH



GPX-135A
300x660mmH



GPX-135B
300x660mmH



PF-86C
305x245x605mmH



GPX-130A
360x360x760mmH



GPX-131A
250x250x600mmH



PF-231A
255x720mmH



PF-231B
255x720mmH



PF-231C
255x720mmH



PF-231D
255x720mmH



PF-224
310x310x750mmH



PF-224A
300x300x705mmH



PF-224
300x300x705mmH



PF-224A
300x300x705mmH



PF-86A
305x245x605mmH



PF-86B
305x245x605mmH



J21單頭雨傘袋機
320x210x730mmH



J22雙頭雨傘袋機
490x300x770mmH



EK305雙頭雨傘袋機
425x290x805mmH



USC-2H韓國
雙頭雨傘袋機
450x390x785mmH



USC-1H韓國
不銹鋼單頭雨傘袋機
250x390x785mmH



J31焗漆
單頭雨傘袋機
320x210x730mmH



J32焗漆
雙頭雨傘袋機
490x300x770mmH



電子自動感應不銹鋼垃圾桶(35/45L)



(圓腳)
SS-LS-02



RB-PS02
W100xD48xH91cm



RB-PS04
W126xD48xH91cm



不銹鋼腳踏垃圾桶
(3/5/12/20/30L)



不銹鋼方型腳踏垃圾桶
SS-PR03 (5/12/20L)



L形招牌座(方腳)
SS-LS-01



不銹鋼環保回收箱
RB-PS03
W90xD42xH90cm



不銹鋼環保回收箱
RB-PS03
W90xD42xH90cm





身高活動四摺膠欄
Code: PB300
Size: 1100mm(H) x 600mm(W)



迷你型活動四摺膠欄
Code: PB500
Size: 500mm x 500mm



高身活動四摺膠欄
Code: PB1100(a)
Size: 1100mm(H) x 600mm(W)



高身活動四摺膠欄
Code: PB1100(b)
Size: 1100mm(H) x 600mm(W)



高身活動四摺膠欄
Code: PB1100(c)
Size: 1100mm(H) x 600mm(W)



高身活動四摺膠欄
Code: PB400(c)
Size: 1100mm(H) x 500mm(W)



矮身活動四摺膠欄
Code: PB200(c)
Size: 24" x 30"



特大三摺膠欄(擋水牌)
Code: PB600
Size: 1000mm x 1000mm

可代客絲印各種內容及LOGO



WL200 塑膠環保回收桶
Size: 510x460x1120mmH



YBC-240A
240L側輪環保垃圾桶



YBC-120A
120L三色環保垃圾桶



PRB-PT4068
可疊式環保回收箱
Size: 610x405x340mmH



660L 四輪垃圾桶



120L 兩輪腳踏垃圾桶



240L 兩輪腳踏垃圾桶



GPX-110 室外垃圾桶 (墨綠色/黑色/啡色/杏色)
Size: 380mm φ x 870mmH



BY-07519
65L/110L



WO-2219
φ 64xH45cm (76L)



WO-2217
φ 45xH61cm (60L)



WO-2220
φ 52xH68cm (90L)



WO-2235
φ 58xH73cm (126L)



GX-002A
46x32xH77cm



GB-107
60L/100L



CB-007
φ 56xH97cm (120L)



CB-008
φ 56xH80cm (120L)



B-101
167L/120L



B-100
55x55xH88cm (120L)



BY-07331
60L/45L/30L



BY-07314
35L/55L

輕便小水馬
PORTABLE WATER BARRIER



- 產品環保安全
- 安裝搬運輕便
- 獨特設計美觀
- 適合學校、廣場、公園、停車場等場所使用。
- 多款顏色可供選擇(紅、白、藍、黃)



CODE: WB23
SIZE: 1083MML × 600MMH × 260MMW
WEIGHT: 6 KGS




WB9598 超級水馬
Size: 1320mmLx1800mmH
115mmW (Upper) x 495W (Lower)

適用場所:


特別適合於建築施工場地、道路施工場地、大型集會場所、基建場地、道路分道、區域隔離、分流、導向等，產品環保安全、輕便美觀。



WB9554 防暴水馬
Size: 2150mmLx1700mmHx250mmW (Upper) x 495W (Lower)



CODE: WB03B
SIZE: 1500mmL × 920mmH × 350mmW



CODE: WB03
SIZE: 1450mmL × 810mmH × 500mmW




新一代環保水馬
New Environmental
Friendly Water Barrier

- ▲ 獨特中空設計，加水後具緩衝彈性，能有效吸收強大衝力
- ▲ 安裝方便快捷，儲存方便，可疊高放置節省地方
- ▲ 機動性高，適合任何道路、橋樑、停車場、商場等

(大眼睛) 水馬 ▶

CY03B (大眼睛)水馬
Size: 1500mmLx900mmHx400mmW
顏色: 紅色/白色

CY03B-1(大眼睛)水馬
磨砂面膠板
Size: 1500mmLx800mmH



VENT STAR
WITH EASYSLIDE SUSPENSION



WITH RATCHET SUSPENSION



KOREL

顏色選擇：白，黃，紅，藍，橙
特別訂購：絲印公司名，LOGO
符合歐盟標準：EN397



Accessories配件：


SUPA STAR
WITH EASYSLIDE SUSPENSION



WITH RATCHET SUSPENSION



Nylon webbing



Neck protector



Chin strap



Earmuff



Visor



Reflective Lable



PU/non-woven Sweat band



CLIMAX 安全帽
原產地：西班牙



CENTURION S10
安全帽連可伸縮護目鏡



CENTURION CONCEPT S08
透氣安全帽



Y-type Chin Strap
Y-型下巴帶



21 LED Headlamp
防水強光頭燈



PELICAN
Heads Up Lite 2600



Blue Eagle BP65 Bump Cap
防撞帽



LED Zoom Headlamp
小型超強頭燈



3M 11636



3M 11635



3M 11718



3M 11716



3M 11780



3M 10435



3M 11476



3M 10434



DAYSUN DK1
(可同時佩戴眼鏡)



3M 1611
(可同時佩戴眼鏡)



DAYSUN EF002



3M 1621



WG-25 燒焊眼罩



UVEX S212 (shade 3.0)
UVEX S213 (shade 5.0)



UVEX S2508 (shade 3.0)
UVEX S2509 (shade 5.0)



UVEX S3153 (shade 3.0)
UVEX S3155 (shade 5.0)



3M 1110 有繩耳塞



3M 1100 耳塞



BILSOM 303 耳塞



HOWARD LEIGHT
S-30R
有繩安全(多次性)耳塞



HOWARD LEIGHT
MAX-30
有繩安全海棉耳塞



EP167 耳罩



3M 1425 耳罩



BILSOM T1 耳罩



Howard Leight L2F
(Folding 可摺式)




Howard Leight L3
(高隔音)





3M 8210 N95 隔濾非油性粉塵
8210V N95 隔濾非油性粉塵
8810 FFP2 隔濾石棉塵
9310 FFP1 隔濾非油性粉塵
9312 FFP1 隔濾非油性粉塵



6200DD 7502 501 2091-防粉塵
霧滴、氣氣微粉



3M 3000系列呼吸器



3200(Medium)(中型)



3311K-55



3700盛棉器



3744隔濾棉




密閉空間設備
三腳架、吊機，氣體
測試儀……



速差式防墮器
長度：2.5M



K453S/K522 COLOCK K451 K458



K611 K810 K617



K646-1 K646

燒焊用產品



- 燒焊眼鏡、眼罩、燒焊面罩、變色龍、燒焊手套、圍裙、袖套、腳套
- 燒焊屏障、焊毯、回火器、驗漏劑、焊機、抽煙機





Rubber Coating
GL2063工作手套 (搬運、倉庫)



Metal Mesh Glove
鋼絲手套 (廚房、切割工作)



Cut Resistant
K100手套 (搬運)



Dailove 102
防凍手套



ELSEC Insulating Glove
電工手套 (電力裝置、維修、電器測檢)



74-301 Cut Resistant Glove With Foodgrade
防切割手套 (廚房)



TOWA 721
防化手套



TOWA 275
防化手套



TOWA 42-474
隔熱手套



Reflective Oversleeve
Rh08反光手袖
Size: 380 x 190mm



Dis Tech 無粉PVC檢查手套



Second Skin PVC含粉手套



Nitrile 有粉丁青檢查手套

ELSEC

符合國際標準
EN60903

personal
protection
for
live working

獨家代理
推介產品

TECHNICAL CHARACTERISTICS OF ELSEC GLOVES

TYPE OF GLOVES		ELSEC 2.5	ELSEC 5	ELSEC 10	ELSEC 20	ELSEC 30
Class of gloves according to European Standard EN 60903		00	0	1	2	3
Proof a.c. voltage r.m.s.	kV	2.5	5	10	20	30
Minimum withstand a.c. voltage r.m.s.	kV	5	10	20	30	40
Maximum a.c. use voltage r.m.s.	kV	0.5	1.0	7.5	17	26.5
Maximum a.c. leakage current r.m.s.	mA	<12	<12	<14	<16	<16
Maximum glove thickness	mm	0.5	1.0	1.5	2.3	2.9
Minimum tensile strength	MPa	14	14	14	14	14
Minimum elongation at break	(%)	600	600	600	600	600





3M 80201 反光T-shirt



翻領/圓領(長袖/短袖) T-Shirt

可加反光帶、絲印公司LOGO 歡迎致電查詢



PF-CV93冷凍背心



即棄雨衣



醫生袍

不織布鞋套



防護衣
Coverall



燒焊皮圍裙
Leather Apron



隔熱圍裙
KM-2



防化圍裙
54-742



連身工作服
CODE: RC 1400



連身工作服
CODE: RC 140B



防水褲連水鞋
CODE: FW2-1-29



螢黃色反光套裝雨衣
CODE: RC 160



藍色反光套裝雨衣
CODE: RC 150



薄身單衫雨衣
CODE: RC 220



薄身套裝雨衣
CODE: RC 210



W-2001


“腰封”——健康之寶

“腰封”是我們脊椎的衛士。世界上，每年因工作運動意外致傷、扭傷或由於不正確的坐臥姿勢而引致的腰椎勞損者不計其數，為此而影響工作、日常生活所造成的經濟損失數以億元計。有見及此“腰封”，依據人體力學及脊椎保健的原理，為我們設計出多款可根據個人在不同生活或工作環境的需要，既可防止或減低腰肌脊椎的意外損傷，又能達致保健效果。

在西方各國推廣多年，證實“腰封”確是我們每個人腰椎的最佳衛士。

“腰封”功能簡介

- 有效地分散對集中於脆弱脊椎所受的壓力
- 限制盤骨的彎曲以幫助脊椎位置的復原
- 防止損害性的意外扭傷



- Limit pelvic flexion to help restore proper alignment of spine and maintain uniform compressive loading of discs when lifting.



Front closure delivers lumbar and abdominal support which helps equalize strains away from lower back.

Unique monofilament sidebands adjust instantly for light to heavy lifting.

Four separate tempered steel stays reinforce vertical support.

Rubber-tracked webbing over stays & stays helps secure protector in place.

Breathable nylon weave delivers all day comfort - even in warm environments.

SIZE TABLE

	XS	23-27" 59-69cm	26-36" 67-92cm	
Small		28-32" 71-82cm	24-30" 61-77cm	24-29" 61-74cm
Medium		33-37" 84-94cm	29-34" 74-90cm	29-34" 74-87cm
Regular			32-46" 82-118cm	
Large		38-42" 96-107cm	34-40" 87-103cm	34-39" 87-99cm
XL		43-48" 109-122cm	40-55" 102-141cm	40-47" 103-121cm
XXL		49-53" 125-136cm	44-65" 113-167cm	48-55" 122-141cm
XXXL		54-58" 138-148cm	53-59" 136-150cm	

CUSTOMIZE YOUR ORDER
 * Measure At Waist
 * Measure At Widest Point-Waist or Hips
 * Size up to 70" waist
 * Special Colors, logos
 * Reflective suspenders



路政署款式(營光黃)
CODE: RV210G



路政署款式(營光紅)
CODE: RV210R



日本款式
CODE: RV130R



日本款式
CODE: RV130G



歐陸款式
CODE: RV230G



歐陸款式
CODE: RV230R



三間款式
CODE: RV170R




三間款式
CODE: RV170G



特製牛仔布反光衣
CODE: Rc120



閃燈反光衣
CODE: RV140



閃燈反光衣
CODE: RV140R

本公司代客設計製造各種反光衣、絲印
We specialized in manufacturing of SAFETY VEST, make to order any reflective apparel.



Armband反光手帶
CODE: RB100



RB108G反光腰帶



VB001反光膠帶



VB120G反光帶



RV168R反光衣



RV168G反光衣

FM611

英國綠色手提膠箱連掛牆扣
For 1-9 person
Size 270mm X 230mm X 90mm

FM612

英國綠色手提膠箱連掛牆扣
For 10 - 49 person
Size 350mm X 250mm X 100mm

Reference : Occupational Safety & Health Regulation

-存放藥品參考香港職安法例(附錄一至四)

-Assembled the components with the reference to Occupational Safety & Health Regulations. (Appendix 1 to 4)

	Appendix 1 - 5	less than 10	between 10 & 49
1	Copy of leaflet	1	1
2	Sterile of Unmediated dressing (size S)	6	12
3	Sterile of Unmediated dressing (size M)	3	6
4	Adhesive wound dressings of assorted size	30	30
5	Triangular bandages	2	4
6	Rolls of adhesive plaster	1	1
7	Packages of cotton wool	3	6
8	Pressure bandages	1	1
9	Dressing Scissors	1	1
10	Disposable gloves	1	2
11	Safety Pins	3	6
12	Eyebath	1	2
13	Adhesive Plastic	2	3
14	Adhesive Dressing	2	2
15	Cleaning Wipe	4	4



FM222 白色掛牆藥箱



各類急救用品-補充品



75%酒精免沖水
洗手消毒液



ANIOS PROTECTIVE CREAM
50ML/500ML



75%酒精紙巾



防滑安全水鞋 ANTI-SLIP RAIN BOOT



防滑安全水鞋
Model: Jx020 / Jx025
Colour: Black / White
Size: 35-45
Origin: China
Standard: EN20347



鋼頭鋼底安全水鞋
Model: JX803
Colour: Black
Size: 39-46
Origin: China
Standard: EN20345



鋼頭鋼底水鞋
Model: DUNLOP 142VP
Colour: Dark Green
Size: 36-48
Origin: Portugal
Standard: EN20345



防滑水鞋
Model: DUNLOP 380VP
Colour: Dark Green
Size: 35-47
Origin: Portugal
Standard: EN20347



防滑水鞋
Model: Achilles #9000W
Colour: White
Model: Achilles #9000B
Colour: Black
Size: 230-280
Origin: Japan



防高壓電鋼頭鋼底安全水鞋
Model: "North" 75145C
Size: 7-12
Origin: USA

鋼頭鋼底安全鞋 SAFETY BOOT



鋼頭鋼底安全鞋
Model: KPK701
Colour: Black
Size: 34-47
Origin: China
Standard: EN20345



鋼頭鋼底高筒安全鞋
Model: KPK805
Colour: Black
Size: 36-46
Origin: China
Standard: EN20345

**鋼頭鋼底/
防刺穿/防靜電**



S900P



S800P

Saisi 賽獅安全鞋
Size: 35-47
Origin: China
Standard: EN20345



鋼頭鋼底安全靴
Model: KPK808
Colour: Brown
Size: 37-45
Origin: China
Standard: EN20345



BA168 爬山鞋
Size: 36-46
鞋頭: ABS塑鋼(防刺穿)
鞋面: KPU透氣網+網布
鞋底: 橡膠+EVA+TPU
鞋墊: 防臭減震



KWS803
KR600
KING'S 鋼頭鋼底安全鞋
Size: 36-47
Colour: Black
Standard: EN20345

Aluminium Tripod
鋁質三腳架



Breathing Apparatuses
呼吸器



4 in 1 Gas Detector
4種氣體探測器



Personal Alarm
個人警報器



First Aid Box
急救箱



Manual Resuscitator
手動式復甦器



Manual Resuscitator
手動式復甦器



Stretcher
吊床



Explosion Proof Torch
防爆電筒



Fully Body Harness
全身式安全帶



Independent Lifeline
救生繩



Portable Ventilator
手提吹風機



ALUMINUM

EN131 COMBINATION LADDERS

Spacing between rungs 280 mm

Item	No. of Step	 mm	 mm	 mm	 mm	 mm	 mm	 mm	 mm	Approx. Wt(kg)	Approx. Cu. Meter Per Unit	20'	40'	40H		
CE3X6	3X6	1717	2426	1619	1166	2546	3397	341/398/454	9.50	0.126	274	560	614			
CE3X7	3X7	1999	2950	1880	1358	3118	4237	341/398/454	10.65	0.148	228	480	520			
CE3X8	3X8	2278	3479	2150	1550	3670	5078	341/398/454	12.85	0.168	205	425	460			
CE3X9	3X9	2560	4000	2410	1740	4230	5920	341/398/454	15.50	0.189	160	320	410			
CE3X10	3X10	2840	4270	2675	1932	4510	6480	341/398/454	16.85	0.203	160	320	360			
CE3X11A	3X11	3120	4786	2935	2125	5070	7320	341/398/454	18.70	0.243	70	210	240			
CE3X12	3X12	3400	5585	3200	2330	5915	8440	341/398/454	22.55	0.338	52	156	183			

GS Certificate No. S 50133626 / S 50141461 / S 50141461 0002 / S 50173219 0001
Patented

Max. 150 kg



Practical indoor and outdoor use and easy storage



GE3X6



DR. LADDER

STEP-UP PLATFORM FIBREGLASS LADDER EN 131-7 FIBERGLASS

MAXIMUM SAFETY 150kg



LADDER SPECIFICATIONS

Model No.	W ₁ (cm)	L ₁ (cm)	H ₁ (cm)	W ₂ (cm)	L ₂ (cm)	H ₂ (cm)	Weight (kg)
SPL - NFB07	92	148	75	41	106	96	8.2
SPL - NFB10	101	163	100	41	106	96	9.3
SPL - NFB12	120	169	115	41	106	96	13
SPL - NFB14	120	195	137	41	106	96	15



Aluminum Twin Ladders


ZJB Series

Material: Aluminum

Certifications
EN131

Load capacity
150kg

POWERFUL and STRONG
The aluminum Multi-Use Twin Stepladder ZJB has a heavy gauge aluminum extruded top and Slip-resistant foot pad.



MODEL	OPEN HEIGHT(M)	OPEN(cm)		CLOSE(cm)		
		width	depth	width	depth	height
ZJB-09	0.834	44.7	65.7	44.7	22.4	89
ZJB-12	1.123	50.0	81.2	40.0	22.4	119
ZJB-15	1.413	55.2	96.7	55.2	22.4	149
ZJB-18	1.703	60.4	112.3	60.4	22.4	179
ZJB-21	1.993	65.6	127.8	65.6	22.4	209
ZJB-24	2.283	70.7	143.3	70.7	22.4	239
ZJB-27	2.572	76.1	158.8	76.1	22.4	269
ZJB-30	2.862	81.3	174.4	81.3	22.4	299
ZJB-33	3.152	86.5	189.9	86.5	22.4	329
ZJB-36	3.442	91.8	205.4	91.8	22.4	359

Fiberglass Twin Ladders

ZJF Series

Material: Fiberglass

Certifications
EN131

Load capacity
150kg

For All Electrician's
The ZJF Multi-Use Twin Stepladder has a Fiberglass rail. It is non-conductive for working near electricity. ZJF has a heavy gauge aluminum extruded top and Slip-resistant foot pad.



MODEL	OPEN HEIGHT(M)	OPEN(cm)		CLOSE(cm)		
		width	depth	width	depth	height
ZJF-09	0.834	44.7	65.7	44.7	22.4	89
ZJF-12	1.123	50.0	81.2	40.0	22.4	119
ZJF-15	1.413	55.2	96.7	55.2	22.4	149
ZJF-18	1.703	60.4	112.3	60.4	22.4	179
ZJF-21	1.993	65.6	127.8	65.6	22.4	209
ZJF-24	2.283	70.7	143.3	70.7	22.4	239
ZJF-27	2.572	76.1	158.8	76.1	22.4	269
ZJF-30	2.862	81.3	174.4	81.3	22.4	299
ZJF-33	3.152	86.5	189.9	86.5	22.4	329
ZJF-36	3.442	91.8	205.4	91.8	22.4	359

DR.LADDER



HOUSEHOLD STEP LADDER EN - 131 ALUMINIUM

HHL - SAS Series

MAX LOAD CAPACITY 150kg




Item Number	Steps	Dimensions (mm)		
		W	D	H
HHL - SAS 02	2	397	530	995
HHL - SAS 03	3	421	680	1215
HHL - SAS 04	4	444	830	1435
HHL - SAS 05	5	467	1000	1655
HHL - SAS 06	6	491	1150	1875
HHL - SAS 07	7	516	1290	2100
HHL - SAS 08	8	537	1470	2320



PLATFORM FIBERGLASS LADDER

PL - SFY Series

FIBERGLASS
ANSI





LADDER SPECIFICATIONS

Item Number	Steps	Dimensions			Container Capacity		
		W	D	H	20'	40'	40' HQ
PL - SFY 03	3	643	1147	1790	196	406	462
PL - SFY 04	4	679	1346	2054	166	334	390
PL - SFY 05	5	716	1540	2335	104	208	306
PL - SFY 06	6	753	1740	2560	52	108	136



大量反光路牌 符合政府規格



大量反光路牌 符合政府規格

